### DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION RCRA Corrective Action Environmental Indicator (EI) RCRIS code (CA750)

# Migration of Contaminated Groundwater Under Control

Facility Name:	Former Union Switch & Signal Division
Facility Address:	1789 South Braddock Avenue, Pittsburgh, Pennsylvania 15218
Facility EPA ID #	t: PAD 000001115
groundwater m	le relevant/significant information on known and reasonably suspected releases to the edia, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units plated Units (RU), and Areas of Concern (AOC)), been considered in this EI determination?  If yes - check here and continue with #2 below.  If no – re-evaluate existing data, or  If data are not available skip to #8 and enter "IN" (more information needed) status code

#### BACKGROUND

### Definition of Environmental Indicators (for the RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to gobeyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for nonhuman (ecological) receptors is intended to be developed in the future.

## Definition of "Current Human Exposures under Controls" EI

A positive "Current Human Exposures under Control" El determination ("YE" status code) indicates that there are no "unacceptable" human exposures to "contamination" (i.e., contaminants in concentrations in excess of appropriate risk-based levels) that can be reasonably expected under current land and groundwater-use conditions (for all "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

#### Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program, the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993 (GPRA). The "Migration of Contaminated Groundwater under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated groundwater and contaminants within groundwater (e.g., non aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

#### **Duration / Applicability of EI Determinations**

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

2.	Is <b>groundwater</b> known or reasonably suspected to be "contaminated" above appropriately protective risk-based "levels" (applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action anywhere at, or from, the facility?
	If yes – continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation.  If no – skip to #8 and enter "YE" status code, after citing appropriate "levels," and referencing supporting documentation to demonstrate that groundwater is not "contaminated."  If unknown (for any media) – skip to #8 and enter "IN" status code.
Rationa	lle and Reference(s):
Signal I	O Holdings Company (WABCO) is current corporate company responsible for the former Union Switch & Division (USSD) facility. Currently, the property at the former USSD facility has been redeveloped into the bood Towne Center located in the Boroughs of Swissvale and Edgewood in Allegheny County, Pennsylvania.
the insta Screening constitu	a lack of groundwater data, a Phase II Environmental Site Assessment was performed in July 2016 including allation of temporary monitoring wells. Groundwater analytical results screened against EPA Regional ng Levels and Safe Drinking Water Act Maximum Contaminant Levels yielded identification of the following tents of concerns (COCs) in exceedance:  Cadmium, Iron, Manganese, Nickel, Selenium, Zinc, Cobalt
	Trichloroethene (TCE), Naphthalene, Benzo(a)anthracene, Benzo(b)fluoranthene, Dibenz(a,h)anthracene,
Indeno(	1,2,3-cd)pyrene, Cadmium, Manganese, Nickel, Zinc, Antimony, Cobalt, Total Cyanide
GW-3:	Benzo(a)anthracene, Benzo(b)fluoranthene, Cadmium, Manganese, Cobalt, Total Cyanide
This inc	licates groundwater is reasonably suspected to be contaminated above appropriately protective risk-based
	om releases subject to RCRA Corrective Action at the facility.

References:

Phase II Environmental Site Assessment Report, AECOM, September 5, 2016 Conceptual Site Model, ARCADIS, February 2, 2018

<sup>&</sup>lt;sup>1</sup>"Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

3.	to remain within	on of contaminated groundwater stabilized (such that contaminated groundwater is expected a "existing area of contaminated groundwater" as defined by the monitoring locations e time of this determination)?
	<u>x</u>	If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the "existing area of groundwater contamination" <sup>2</sup> )
	-	If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the "existing area of groundwater contamination'2) - skip to #8 and enter "NO" status code, after providing an explanation.
	-	If unknown - skip to #8 and enter "IN" status code.
Ratio	onale and Reference	e(s):

The former USSD facility was decommissioned in 1987. The current Edgewood Towne Center was constructed in 1988. Considering the amount of time since decommissioning (~30 years), and that no hazardous wastes are used under the current property use (commercial strip mall), groundwater impacts are expected to have reached stabilization.

<sup>&</sup>lt;sup>2</sup> "Existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) thathas been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

4.	Does "contamin	ated" groundwater discharge into surface water bodies?
	X	If yes - continue after identifying potentially affected surface water bodies.  If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater
		"contamination" does not enter surface water bodies.  If unknown - skip to #8 and enter "IN" status code.
10	-	If dikilowii- skip to #6 and enter Tiv status code.
Ratio	nale and Referenc	e(s):

Nine Mile Run is the closest surface water body, located approximately 650 feet northwest of the propety. Groundwater fate and transport modeling of potential discharge to Nine Mile Run was presented in the Conceptual Site Model. Utilizing concentrations in the central property well (highest concentrations), GW-2, no COCs would discharge into Nine Mile Run above surface water quality criteria. Furthermore, GW-3, located farther downgradient of GW-2 and closer to Nine Mile Run had non-detect or lower concentrations of the COCs evaluated in the fate and transport modeling.

5.	Is the <b>discharge</b> of "contaminated" groundwater into surface water likely to be <b>"insignificant"</b> (i.e., the maximum concentration <sup>3</sup> of each contaminant discharging into surface water is less than 10 times their appropriate groundwater "level," and there are no other conditions (e.g., the nature, and number, of discharging contaminants, or environmental setting), which significantly increase the potential for unacceptable impacts to surface water, sediments, or eco-systems at these concentrations)?		
	If yes - skip to #7 (and enter "YE" status code in #8 if #7 = yes), after documenting maximum known or reasonably suspected concentration of key contaminants disch above their groundwater "level," the value of the appropriate "level(s)," and if there evidence that the concentrations are increasing; and 2) provide a statement of profest judgment/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unaccept impacts to the receiving surface water, sediments, or eco-system.	arged is ssional	
	If no - (the discharge of "contaminated" groundwater into surface water is potential significant) - continue after documenting: 1) the maximum known or reasonably surconcentration of each contaminant discharged above its groundwater "level," the vathe appropriate "level(s)," and if there is evidence that the concentrations are increated and 2) for any contaminants discharging into surface water in concentrations' greated 100 times their appropriate "level(s)," and if estimated total amount (mass in kg/yr) each of these contaminants that are being discharged (loaded) into the surface water (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.	spected lue of sing; er than of r body	
	If unknown - enter "IN" status code in #8.		
Ration	e and Reference(s):		

<sup>&</sup>lt;sup>3</sup> As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

	e., not cause impacts to surface water, sediments or eco-systems that should not be allowed
	a final remedy decision can be made and implemented)?
	If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site's surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment <sup>5</sup> appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment "levels," as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination.
	If no - (the discharge of "contaminated" groundwater can not be shown to be "currently acceptable") – skip to #8 and enter a "NO" status, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.
<u> </u>	If unknown - skip to 8 and enter "IN" status code.
Rationale and Reference	e(s):
21	

<sup>&</sup>lt;sup>4</sup> Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

<sup>&</sup>lt;sup>5</sup> The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

7.	necessary) be co	ter monitoring / measurement data (and surface water/sediment/ecological data, as ollected in the future to verify that contaminated groundwater has remained within the ertical, as necessary) dimensions of the "existing area of contaminated groundwater?"
	X	If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the "existing area of groundwater contamination."
	×	If no - enter "NO" status code in #8.
	-	If unknown - enter "IN" status code in #8.
Ratio	nale and Reference	ce(s):

A work plan for collection of additional groundwater characterization data to address possible groundwater impacts to residential homes adjacent to USSD (side gradient and not in direction of surface water) is proposed to be developed which will include additional groundwater monitoring. However, this data is proposed to evaluate possible drinking water or vapor intrusion pathways which are addressed in the HumanHealth Environmental Indicator. Therefore, groundwater monitoring data will be collected in the future, but not specifically to address this Migration of Groundwater EI which the EPA considers unnecessary as discussed above.

X	riate supporting documentation as well as a map of t		
281	YE – Yes, "Migration of contaminated Groundwat verified.	ier Under C	control has been
	NO – Unacceptable migration of contaminated ground IN – More information is needed to make a determination of the contaminated ground in the contaminated ground		is observed or expected.
Completed by:	(signature)	Date	4-16-18
	(print) Kevin Bilash (title) RPM		
Supervisor:	(signature) Par Attaly	Date	4-16-18
	print) Paul Gotthold (title) Director, Land and Chemicals Division (EPA Region or State) EPA Region III		
Locations where	References may be found		
USEPA Regio	n III office in Philadelphia, PA.	***************************************	
-			
Contact telephon	e and e-mail numbers:		
Contact telephon  Kevin Bi			