

```

<Project xmlns="http://schemas.microsoft.com/developer/msbuild/2003">
  <PropertyGroup>
    <ProjectGuid>{F7C3BCF7-9808-4FF9-A577-6D822A4FC927}</ProjectGuid>
    <ProjectVersion>18.2</ProjectVersion>
    <FrameworkType>VCL</FrameworkType>
    <MainSource>LCRISampleTestBin.dpr</MainSource>
    <Base>True</Base>
    <Config Condition="'$(Config)'=='>Debug</Config>
    <Platform Condition="'$(Platform)'=='>Win32</Platform>
    <TargetedPlatforms>1</TargetedPlatforms>
    <AppType>Application</AppType>
  </PropertyGroup>
  <PropertyGroup Condition="'$(Config)'=='Base' or '$(Base)'!='>
    <Base>true</Base>
  </PropertyGroup>
  <PropertyGroup Condition="('$$(Platform)'=='Win32' and '$(Base)'=='true') or
'$(Base_Win32)'!='>
    <Base_Win32>true</Base_Win32>
    <CfgParent>Base</CfgParent>
    <Base>true</Base>
  </PropertyGroup>
  <PropertyGroup Condition="('$$(Platform)'=='Win64' and '$(Base)'=='true') or
'$(Base_Win64)'!='>
    <Base_Win64>true</Base_Win64>
    <CfgParent>Base</CfgParent>
    <Base>true</Base>
  </PropertyGroup>
  <PropertyGroup Condition="'$(Config)'=='Debug' or '$(Cfg_1)'!='>
    <Cfg_1>true</Cfg_1>
    <CfgParent>Base</CfgParent>
    <Base>true</Base>
  </PropertyGroup>
  <PropertyGroup Condition="('$$(Platform)'=='Win32' and '$(Cfg_1)'=='true') or
'$(Cfg_1_Win32)'!='>
    <Cfg_1_Win32>true</Cfg_1_Win32>
    <CfgParent>Cfg_1</CfgParent>
    <Cfg_1>true</Cfg_1>
    <Base>true</Base>
  </PropertyGroup>
  <PropertyGroup Condition="'$(Config)'=='Release' or '$(Cfg_2)'!='>
    <Cfg_2>true</Cfg_2>
    <CfgParent>Base</CfgParent>
    <Base>true</Base>
  </PropertyGroup>
  <PropertyGroup Condition="('$$(Platform)'=='Win32' and '$(Cfg_2)'=='true') or
'$(Cfg_2_Win32)'!='>
    <Cfg_2_Win32>true</Cfg_2_Win32>
    <CfgParent>Cfg_2</CfgParent>
    <Cfg_2>true</Cfg_2>
    <Base>true</Base>

```

```
</PropertyGroup>
<PropertyGroup Condition="'$(Base)'!=''>
```

```
<UWP_DelphiLogo44>$(BDS)\bin\Artwork\Windows\UWP\delphi_UwpDefault_44.png</UWP_DelphiLogo44>
```

```
<DCC_Namespace>System;Xml;Data;Datanap;Web;Soap;Vcl;Vcl.Imaging;Vcl.Touch;Vcl.Samples;Vcl.Shell;$(DCC_Namespace)</DCC_Namespace>
<SanitizedProjectName>LCRISampleTestBin</SanitizedProjectName>
```

```
<UWP_DelphiLogo150>$(BDS)\bin\Artwork\Windows\UWP\delphi_UwpDefault_150.png</UWP_DelphiLogo150>
```

```
<Icon_MainIcon>$(BDS)\bin\delphi_PROJECTICON.ico</Icon_MainIcon>
<DCC_DcuOutput>.\$(Platform)\$(Config)</DCC_DcuOutput>
<DCC_ExeOutput>.\$(Platform)\$(Config)</DCC_ExeOutput>
<DCC_E>>false</DCC_E>
<DCC_N>>false</DCC_N>
<DCC_S>>false</DCC_S>
<DCC_F>>false</DCC_F>
<DCC_K>>false</DCC_K>
</PropertyGroup>
<PropertyGroup Condition="'$(Base_Win32)'!=''>
<BT_BuildType>Debug</BT_BuildType>
```

```
<DCC_Namespace>Winapi;System.Win;Data.Win;Datanap.Win;Web.Win;Soap.Win;Xml.Win;Bde;$(DCC_Namespace)</DCC_Namespace>
```

```
<DCC_UsePackage>DBXSqliteDriver;dxSkinBlueprintRS24;dxSpreadSheetConditionalFormattingDialogsRS24;DBXDb2Driver;dxRichEditInplaceRS24;dxPSdxGaugeControlLnkRS24;vclactnband;dxSpreadSheetRS24;vclFireDAC;dxDockingRS24;tethering;dxSkinVisualStudio2013BlueRS24;dxPScxTLLnkRS24;dxBarExtItemsRS24;FireDACADSDriver;dxFireDACServerModeRS24;JvPluginSystem;dxSkinOffice2007BlackRS24;FireDACMSSQLDriver;vcltouch;JvBands;vclldb;svn;dxSkinXmas2008BlueRS24;dxSkinscxSchedulerPainterRS24;JvJans;dxSkinsdxBarPainterRS24;dxSkinOffice2010BlackRS24;dxADOServerModeRS24;JvDotNetCtrls;dxGDIPlusRS24;dxPSdxDBTVLnkRS24;dxSkinLilianRS24;FireDACDBXDriver;dxNavBarRS24;vclx;cxTreeListRS24;TeeUI924;dxSkinDevExpressDarkStyleRS24;dxtrmdRS24;dxRichEditControlCoreRS24;RESTBackendComponents;dxRibbonRS24;VCLRESTComponents;cxExportRS24;dxSkinOffice2013LightGrayRS24;cxTreeListdxBarPopupMenuRS24;cxPivotGridChartRS24;dxTabbedMDIRS24;vclie;dxSkinVisualStudio2013LightRS24;bindengine;CloudService;JvHMI;FireDACMySQLDriver;cxPivotGridOLAPRS24;dxSkinSharpRS24;dxSkinBlackRS24;DataSnapClient;dxPSLnksRS24;bindcompdbx;dxSkinCoffeeRS24;IndyIPServer;DBXSybaseASEDriver;dxSkinsdxRibbonPainterRS24;dxCoreRS24;IndySystem;dxSkinOffice2013DarkGrayRS24;dsnappcon;FireDACMSAccDriver;fmxFireDAC;FireDACInfxDriver;vclimg;Jcl;emshosting;dxBarDBNavRS24;dxSkinDarkSideRS24;dxSkinOffice2013WhiteRS24;DBXOdbcDriver;FireDACTDataDriver;dxPSdxLCLnkRS24;dxPScxExtCommonRS24;dxPScxPivotGridLnkRS24;soaprtl;DbxCommonDriver;JvManagedThreads;xmlrtl;soapmidas;DataSnapNativeClient;fmxobj;dxSkinMcSkinRS24;JvTimeFramework;rtl;dxLayoutControlRS24;DbxClientDriver;cxGridRS24;DBXSybaseASADriver;dxSkinBlueRS24;CodeSiteExpressPkg;dxSpellCheckerRS24;JvSystem;cxLibraryRS24;dxSkinStardustRS24;JvStdCtrls;dxSkinCaramelRS24;appanalytics;dxSkinsCoreRS24;dxDBXServerModeRS24;dxSkinHighContrastRS24;IndyIPClient;dxMapControlRS24;bindcompvcl;dxPSdxMapControlLnkRS24;dxSkinTheAsphaltWorldRS24;cxPageControlRS24;dx
```

PsPrVwAdvRS24;cxEditorsRS24;dxSkinSevenClassicRS24;JvDocking;VclSmp;cxSchedulerRibbonStyleEventEditorRS24;JvPascalInterpreter;FireDACODBCDriver;dxRichEditDocumentModelRS24;dxSkinPumpkinRS24;DataSnapIndy10ServerTransport;JclVcl;dxSkinscxPCPainterRS24;dxPSPrVwRibbonRS24;dxSpreadSheetReportDesignerRS24;DataSnapProviderClient;FireDACMongoDBDriver;dxSkinSevenRS24;JvControls;JvPrintPreview;dxdborRS24;dxmdsRS24;dxHttpIndyRequestRS24;RESTComponents;DataSnapServerMidas;cxSchedulerGridRS24;cxPivotGridRS24;DBXInterBaseDriver;emscclientfiredac;DataSnapFireDAC;svnui;TeeDB924;JvGlobus;dxdbtrRS24;dxSkinMetropolisRS24;dxSkinMoneyTwinsRS24;dxPScxPCProdRS24;DBXMSSQLDriver;JvMM;DataSnapConnectorsFreePascal;dxWizardControlRS24;FMXTee924;bindcompfmx;dxPSdxOCLnkRS24;dxBarExtDBItemsRS24;DBXOracleDriver;dxPSdxFCLnkRS24;JvNet;inetdb;dxSkinOffice2016ColorfulRS24;cxSchedulerTreeBrowserRS24;JvAppFrm;emsedge;FireDACIBDriver;fmx;fmxdae;dxSkinSpringTimerRS24;dxSkinValentineRS24;dxSkinLondonLiquidSkyRS24;dxSkinWhiteprintRS24;dxSpreadSheetInplaceRichEditRS24;JvWizards;Tee924;dbexpress;IndyCore;dxSkinImaginaryRS24;dxTileControlRS24;dxSkinOffice2016DarkRS24;dsnap;emscclient;DataSnapCommon;cxDataRS24;FireDACCommon;dxSkinOffice2007PinkRS24;dxPSdxSpreadSheetLnkRS24;JvDB;JvPageComps;DataSnapConnectors;dxSkinDevExpressStyleRS24;soapserver;dxOfficeCoreRS24;JclDeveloperTools;dxBarRS24;dxSkinMetropolisDarkRS24;FireDACOracleDriver;DBXMySQLDriver;JvCmp;dxPSRichEditControlLnkRS24;DBXFirebirdDriver;dxPScxCommonRS24;FireDACCommonODBC;FireDACCommonDriver;dxPSdxPDFViewerLnkRS24;inet;IndyIPCommon;dxSkinVS2010RS24;JvCustom;vcl;dxSkinSharpPlusRS24;JvXPCtrls;dxPSdxDBOCLnkRS24;FireDACDb2Driver;dxThemeRS24;dxSkinOffice2007GreenRS24;dxPScxGridLnkRS24;FireDAC;dxPScxVGridLnkRS24;JvCore;JvCrypt;FireDACSqliteDriver;FireDACPgDriver;dxSkinOffice2010BlueRS24;FireDACASADriver;dxServerModeRS24;JvDlgs;JvRuntimeDesign;DataSnapServer;dxRichEditCoreRS24;cxSchedulerRS24;vclwinx;FireDACDSDriver;dxSkinOffice2007BlueRS24;dxPSCoreRS24;dxSkinsdxDLPainterRS24;CustomIPTransport;vcldsnap;dxSkinGlassOceansRS24;dxRibbonCustomizationFormRS24;dxPScxSchedulerLnkRS24;dxSkinSummer2008RS24;FMXTeeDB924;bindcomp;FmxTeeUI924;dxSkinDarkRoomRS24;DBXInformixDriver;dxSkinFoggyRS24;dxorgcRS24;dxPDFViewerRS24;dxSkinOffice2010SilverRS24;FrameViewerXE9;dxRichEditControlRS24;dxSkinsdxNavBarPainterRS24;dbxcds;adortl;dxSkinSilverRS24;dxSkinVisualStudio2013DarkRS24;dxComnRS24;cxVerticalGridRS24;dxFlowChartRS24;dsnapxml;dbrtl;IndyProtocols;inetdbxpress;dxSkinOffice2007SilverRS24;dxGaugeControlRS24;dxSkinLiquidSkyRS24;JclContainers;fmxase;\$(DCC_UsePackage)</DCC_UsePackage>

<Manifest_File>\$(BDS)\bin\default_app.manifest</Manifest_File>

<VerInfo_Locale>1033</VerInfo_Locale>

<VerInfo_IncludeVerInfo>true</VerInfo_IncludeVerInfo>

<VerInfo_Keys>CompanyName=;FileDescription=\$(MSBuildProjectName);FileVersion=1.0.0.0;InternalName=;LegalCopyright=;LegalTrademarks=;OriginalFilename=;ProgramID=com.embarcadero.\$(MSBuildProjectName);ProductName=\$(MSBuildProjectName);ProductVersion=1.0.0.0;Comments=</VerInfo_Keys>

</PropertyGroup>

<PropertyGroup Condition="'\$(Base_Win64)'!=''>

<DCC_UsePackage>DBXSqliteDriver;dxSkinBlueprintRS24;dxSpreadSheetConditionalFormattingDialogsRS24;DBXDb2Driver;dxRichEditInplaceRS24;dxPSdxGaugeControlLnkRS24;vclactnband;dxSpreadSheetRS24;vclFireDAC;dxDockingRS24;tethering;dxSkinVisualStudio2013BlueRS24;dxPScxTLLnkRS24;dxBarExtItemsRS24;FireDACADSDriver;dxFireDACServerModeRS24;dxSkinOffice2007BlackRS24;FireDACMSSQLDriver;vcltouch;vcldb;dxSkinXmas2008BlueRS24;dxSkinscxSchedulerPainterRS24;dxSkinsdxBarPainterRS24;dxSkinOffice2010BlackRS24;dxADOServerModeRS24;dxGDIPlusRS24;dxPSdxDBTVLnkRS24;dxSkinLilianRS24;FireDACBxDriver;dxNavBarR

S24;vclx;cxTreeListRS24;dxSkinDevExpressDarkStyleRS24;dxtrmdRS24;dxRichEditControlCoreRS24;RESTBackendComponents;dxRibbonRS24;VCLRESTComponents;cxExportRS24;dxSkinOffice2013LightGrayRS24;cxTreeListdxBarPopupMenuRS24;cxPivotGridChartRS24;dxTabbedMDIRS24;vclie;dxSkinVisualStudio2013LightRS24;bindengine;CloudService;FireDACMySQLDriver;cxPivotGridOLAPRS24;dxSkinSharpRS24;dxSkinBlackRS24;DataSnapClient;dxPSLnksRS24;bindcompdbx;dxSkinCoffeeRS24;IndyIPServer;DBXSybaseASEDriver;dxSkinsdxRibbonPainterRS24;dxCoreRS24;IndySystem;dxSkinOffice2013DarkGrayRS24;dsnappcon;FireDACMSAccDriver;fmxFireDAC;FireDACInfxDriver;vclimg;emshosting;dxBarDBNavRS24;dxSkinDarkSideRS24;dxSkinOffice2013WhiteRS24;DBXOdbcDriver;FireDACTDataDriver;dxPSdxLCLnkRS24;dxPScxExtCommonRS24;dxPScxPivotGridLnkRS24;soaprtl;DbxCommonDriver;xmlrtl;soapmidas;DataSnapNativeClient;fmxobj;dxSkinMcSkinRS24;rtl;dxLayoutControlRS24;DbxClientDriver;cxGridRS24;DBXSybaseASADriver;dxSkinBlueRS24;dxSpellCheckerRS24;cxLibraryRS24;dxSkinStardustRS24;dxSkinCaramelRS24;appanalytics;dxSkinsCoreRS24;dxDBXServerModeRS24;dxSkinHighContrastRS24;IndyIPClient;dxMapControlRS24;bindcompvcl;dxPSdxMapControlLnkRS24;dxSkinTheAsphaltWorldRS24;cxPageControlRS24;dxPsPrVwAdvRS24;cxEditorsRS24;dxSkinSevenClassicRS24;VclSmp;cxSchedulerRibbonStyleEventEditorRS24;FireDACODBCDriver;dxRichEditDocumentModelRS24;dxSkinPumpkinRS24;DataSnapIndy10ServerTransport;dxSkinscxPCPainterRS24;dxPSPrVwRibbonRS24;dxSpreadSheetReportDesignerRS24;DataSnapProviderClient;FireDACMongoDBDriver;dxSkinSevenRS24;dxdborRS24;dxmdsRS24;dxHttpIndyRequestRS24;RESTComponents;DataSnapServerMidas;cxSchedulerGridRS24;cxPivotGridRS24;DBXInterBaseDriver;emscclientfiredac;DataSnapFireDAC;dxdbtrRS24;dxSkinMetropolisRS24;dxSkinMoneyTwinsRS24;dxPScxPCProdRS24;DBXMSSQLDriver;DataSnapConnectorsFreePascal;dxWizardControlRS24;bindcompfmx;dxPSdxOCLnkRS24;dxBarExtDBItemsRS24;DBXOracleDriver;dxPSdxFCLnkRS24;inetdb;dxSkinOffice2016ColorfulRS24;cxSchedulerTreeBrowserRS24;emsedge;FireDACIBDriver;fmx;fmxdae;dxSkinSpringTimeRS24;dxSkinValentineRS24;dxSkinLondonLiquidSkyRS24;dxSkinWhiteprintRS24;dxSpreadSheetInplaceRichEditRS24;dbexpress;IndyCore;dxSkiniMaginaryRS24;dxTileControlRS24;dxSkinOffice2016DarkRS24;dsnapp;emscclient;DataSnapCommon;cxDataRS24;FireDACCommon;dxSkinOffice2007PinkRS24;dxPSdxSpreadSheetLnkRS24;DataSnapConnectors;dxSkinDevExpressStyleRS24;soapserver;dxOfficeCoreRS24;dxBarRS24;dxSkinMetropolisDarkRS24;FireDACOracleDriver;DBXMySQLDriver;dxPSRichEditControlLnkRS24;DBXFirebirdDriver;dxPScxCommonRS24;FireDACCommonODBC;FireDACCommonDriver;dxPSdxPDFViewerLnkRS24;inet;IndyIPCommon;dxSkinVS2010RS24;vcl;dxSkinSharpPlusRS24;dxPSdxDBOCLnkRS24;FireDACDb2Driver;dxThemeRS24;dxSkinOffice2007GreenRS24;dxPScxGridLnkRS24;FireDAC;dxPScxVGridLnkRS24;FireDACSQLiteDriver;FireDACPgDriver;dxSkinOffice2010BlueRS24;FireDACASADriver;dxServerModeRS24;DataSnapServer;dxRichEditCoreRS24;cxSchedulerRS24;vclwinx;FireDACDSDriver;dxSkinOffice2007BlueRS24;dxPSCoreRS24;dxSkinsdxDLPainterRS24;CustomIPTransport;vcldsnapp;dxSkinGlassOceansRS24;dxRibbonCustomizationFormRS24;dxPScxSchedulerLnkRS24;dxSkinSummer2008RS24;bindcomp;dxSkinDarkRoomRS24;DBXInformixDriver;dxSkinFoggyRS24;dxorgcRS24;dxPDFViewerRS24;dxSkinOffice2010SilverRS24;dxRichEditControlRS24;dxSkinsdxNavBarPainterRS24;dbxcds;adortl;dxSkinSilverRS24;dxSkinVisualStudio2013DarkRS24;dxCommRS24;cxVerticalGridRS24;dxFlowChartRS24;dsnappxml;dbrtl;IndyProtocols;inetdbxpress;dxSkinOffice2007SilverRS24;dxGaugeControlRS24;dxSkinLiquidSkyRS24;fmxase;\$(DCC_UsePackage)</DCC_UsePackage>

</PropertyGroup>

<PropertyGroup Condition="'\$(Cfg_1)'!=''>

<DCC_Define>DEBUG;\$(DCC_Define)</DCC_Define>

<DCC_DebugDCUs>>true</DCC_DebugDCUs>

<DCC_Optimize>>false</DCC_Optimize>

<DCC_GenerateStackFrames>>true</DCC_GenerateStackFrames>

<DCC_DebugInfoInExe>>true</DCC_DebugInfoInExe>

```

    <DCC_RemoteDebug>true</DCC_RemoteDebug>
</PropertyGroup>
<PropertyGroup Condition="'$(Cfg_1_Win32)'!=''>
    <AppEnableRuntimeThemes>true</AppEnableRuntimeThemes>
    <DCC_ExeOutput>K:\SafewaterLCRI\</DCC_ExeOutput>
    <AppEnableHighDPI>true</AppEnableHighDPI>
    <VerInfo_Locale>1033</VerInfo_Locale>
    <VerInfo_IncludeVerInfo>true</VerInfo_IncludeVerInfo>
    <DCC_RemoteDebug>false</DCC_RemoteDebug>
</PropertyGroup>
<PropertyGroup Condition="'$(Cfg_2)'!=''>
    <DCC_LocalDebugSymbols>false</DCC_LocalDebugSymbols>
    <DCC_Define>RELEASE;$(DCC_Define)</DCC_Define>
    <DCC_SymbolReferenceInfo>0</DCC_SymbolReferenceInfo>
    <DCC_DebugInformation>0</DCC_DebugInformation>
</PropertyGroup>
<PropertyGroup Condition="'$(Cfg_2_Win32)'!=''>
    <AppEnableRuntimeThemes>true</AppEnableRuntimeThemes>
    <AppEnableHighDPI>true</AppEnableHighDPI>
</PropertyGroup>
<ItemGroup>
    <DelphiCompile Include="$(MainSource)">
        <MainSource>MainSource</MainSource>
    </DelphiCompile>
    <DCCReference Include="frmTestBin.pas">
        <Form>Form1</Form>
        <FormType>dfm</FormType>
    </DCCReference>
    <BuildConfiguration Include="Release">
        <Key>Cfg_2</Key>
        <CfgParent>Base</CfgParent>
    </BuildConfiguration>
    <BuildConfiguration Include="Base">
        <Key>Base</Key>
    </BuildConfiguration>
    <BuildConfiguration Include="Debug">
        <Key>Cfg_1</Key>
        <CfgParent>Base</CfgParent>
    </BuildConfiguration>
</ItemGroup>
<ProjectExtensions>
    <Borland.Personality>Delphi.Personality.12</Borland.Personality>
    <Borland.ProjectType>Application</Borland.ProjectType>
    <BorlandProject>
        <Delphi.Personality>
            <Source>
                <Source Name="MainSource">LCRISampleTestBin.dpr</Source>
            </Source>
            <Excluded_Packages>
                <Excluded_Packages Name="$(BDSBIN)\dcloffice2k240.bpl">Microsoft

```

```

Office 2000 Sample Automation Server Wrapper Components</Excluded_Packages>
    <Excluded_Packages Name="$(BDSBIN)\dclofficexp240.bpl">Microsoft
Office XP Sample Automation Server Wrapper Components</Excluded_Packages>
    </Excluded_Packages>
</Delphi.Personality>
<Deployment Version="3">
    <DeployFile LocalName="Win32\Debug\LCRISampleTestBin.exe"
Configuration="Debug" Class="ProjectOutput">
        <Platform Name="Win32">
            <RemoteName>LCRISampleTestBin.exe</RemoteName>
            <Overwrite>true</Overwrite>
        </Platform>
    </DeployFile>
    <DeployClass Name="DependencyModule">
        <Platform Name="Win32">
            <Operation>0</Operation>
            <Extensions>.dll;.bpl</Extensions>
        </Platform>
        <Platform Name="iOSDevice64">
            <Operation>1</Operation>
            <Extensions>.dylib</Extensions>
        </Platform>
        <Platform Name="OSX32">
            <RemoteDir>Contents\MacOS</RemoteDir>
            <Operation>1</Operation>
            <Extensions>.dylib</Extensions>
        </Platform>
        <Platform Name="iOSDevice32">
            <Operation>1</Operation>
            <Extensions>.dylib</Extensions>
        </Platform>
        <Platform Name="iOSSimulator">
            <Operation>1</Operation>
            <Extensions>.dylib</Extensions>
        </Platform>
    </DeployClass>
    <DeployClass Name="ProjectOSXResource">
        <Platform Name="OSX32">
            <RemoteDir>Contents\Resources</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="AndroidClassesDexFile">
        <Platform Name="Android">
            <RemoteDir>classes</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="AdditionalDebugSymbols">
        <Platform Name="Win32">

```

```

        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>0</Operation>
    </Platform>
    <Platform Name="iOS Simulator">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="OSX32">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="iPad_Launch768">
    <Platform Name="iOS Simulator">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice64">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice32">
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_LauncherIcon144">
    <Platform Name="Android">
        <RemoteDir>res\drawable-xxhdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="AndroidLibnativeMipsFile">
    <Platform Name="Android">
        <RemoteDir>library\lib\mips</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Required="true" Name="ProjectOutput">
    <Platform Name="iOSDevice64">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice32">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Win32">
        <Operation>0</Operation>
    </Platform>
    <Platform Name="Linux64">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="OSX32">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
    </Platform>

```

```

    </Platform>
    <Platform Name="Android">
        <RemoteDir>library\lib\armeabi-v7a</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSSimulator">
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="DependencyFramework">
    <Platform Name="Win32">
        <Operation>0</Operation>
    </Platform>
    <Platform Name="OSX32">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
        <Extensions>.framework</Extensions>
    </Platform>
</DeployClass>
<DeployClass Name="ProjectUWPManifest">
    <Platform Name="Win32">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Win64">
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="iPhone_Launch640">
    <Platform Name="iOSSimulator">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice64">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice32">
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="iPad_Launch1024">
    <Platform Name="iOSSimulator">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice64">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice32">
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="ProjectiOSDeviceDebug">

```



```

        <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).app.dSYM\Contents\Resources\DWARF</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice32">

<RemoteDir>..\$(PROJECTNAME).app.dSYM\Contents\Resources\DWARF</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="iPhone_Launch320">
    <Platform Name="iOSSimulator">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice64">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice32">
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="ProjectiOSInfoPList">
    <Platform Name="iOSSimulator">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice64">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice32">
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="AndroidLibnativeArmeabiFile">
    <Platform Name="Android">
        <RemoteDir>library\lib\armeabi</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="DebugSymbols">
    <Platform Name="Win32">
        <Operation>0</Operation>
    </Platform>
    <Platform Name="iOSSimulator">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="OSX32">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
    </Platform>

```

```

</DeployClass>
<DeployClass Name="iPad_Launch1536">
  <Platform Name="iOS Simulator">
    <Operation>1</Operation>
  </Platform>
  <Platform Name="iOSDevice64">
    <Operation>1</Operation>
  </Platform>
  <Platform Name="iOSDevice32">
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="Android_SplashImage470">
  <Platform Name="Android">
    <RemoteDir>res\drawable-normal</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="Android_LauncherIcon96">
  <Platform Name="Android">
    <RemoteDir>res\drawable-xhdpi</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="Android_SplashImage640">
  <Platform Name="Android">
    <RemoteDir>res\drawable-large</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="iPhone_Launch640x1136">
  <Platform Name="iOS Simulator">
    <Operation>1</Operation>
  </Platform>
  <Platform Name="iOSDevice64">
    <Operation>1</Operation>
  </Platform>
  <Platform Name="iOSDevice32">
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="UWP_DelphiLogo44">
  <Platform Name="Win32">
    <RemoteDir>Assets</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="Win64">
    <RemoteDir>Assets</RemoteDir>
    <Operation>1</Operation>
  </Platform>

```

```

</DeployClass>
<DeployClass Name="ProjectiOSEntitlements">
  <Platform Name="iOSDevice64">
    <RemoteDir>..\</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="iOSDevice32">
    <RemoteDir>..\</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="Android_LauncherIcon72">
  <Platform Name="Android">
    <RemoteDir>res\drawable-hdpi</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="AndroidGDBServer">
  <Platform Name="Android">
    <RemoteDir>library\lib\armeabi-v7a</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="ProjectOSXInfoPList">
  <Platform Name="OSX32">
    <RemoteDir>Contents</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="ProjectOSXEntitlements">
  <Platform Name="OSX32">
    <RemoteDir>..\</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="UWP_DelphiLogo150">
  <Platform Name="Win32">
    <RemoteDir>Assets</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="Win64">
    <RemoteDir>Assets</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="iPad_Launch2048">
  <Platform Name="iOSSimulator">
    <Operation>1</Operation>
  </Platform>
  <Platform Name="iOSDevice64">

```

```

        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice32">
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="AndroidSplashStyles">
    <Platform Name="Android">
        <RemoteDir>res\values</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_SplashImage426">
    <Platform Name="Android">
        <RemoteDir>res\drawable-small</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="AndroidSplashImageDef">
    <Platform Name="Android">
        <RemoteDir>res\drawable</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="ProjectiOSResource">
    <Platform Name="iOSSimulator">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice64">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice32">
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="ProjectAndroidManifest">
    <Platform Name="Android">
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="Android_DefaultAppIcon">
    <Platform Name="Android">
        <RemoteDir>res\drawable</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="File">
    <Platform Name="Win32">
        <Operation>0</Operation>
    </Platform>

```

```

    <Platform Name="iOSDevice64">
        <Operation>0</Operation>
    </Platform>
    <Platform Name="OSX32">
        <RemoteDir>Contents\Resources\StartUp\</RemoteDir>
        <Operation>0</Operation>
    </Platform>
    <Platform Name="iOSDevice32">
        <Operation>0</Operation>
    </Platform>
    <Platform Name="Android">
        <Operation>0</Operation>
    </Platform>
    <Platform Name="iOSSimulator">
        <Operation>0</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="AndroidServiceOutput">
    <Platform Name="Android">
        <RemoteDir>library\lib\armeabi-v7a</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Required="true" Name="DependencyPackage">
    <Platform Name="Win32">
        <Operation>0</Operation>
        <Extensions>.bpl</Extensions>
    </Platform>
    <Platform Name="iOSDevice64">
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="OSX32">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="iOSDevice32">
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="iOSSimulator">
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
</DeployClass>
<DeployClass Name="Android_LauncherIcon48">
    <Platform Name="Android">
        <RemoteDir>res\drawable-mdpi</RemoteDir>
        <Operation>1</Operation>
    </Platform>

```

```

        </Platform>
    </DeployClass>
    <DeployClass Name="Android_SplashImage960">
        <Platform Name="Android">
            <RemoteDir>res\drawable-xlarge</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="Android_LauncherIcon36">
        <Platform Name="Android">
            <RemoteDir>res\drawable-ldpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="ProjectiOSDeviceResourceRules">
        <Platform Name="iOSDevice64">
            <Operation>1</Operation>
        </Platform>
        <Platform Name="iOSDevice32">
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <ProjectRoot Platform="iOSDevice64" Name="$(PROJECTNAME).app"/>
    <ProjectRoot Platform="Win64" Name="$(PROJECTNAME)"/>
    <ProjectRoot Platform="iOSDevice32" Name="$(PROJECTNAME).app"/>
    <ProjectRoot Platform="Linux64" Name="$(PROJECTNAME)"/>
    <ProjectRoot Platform="Win32" Name="$(PROJECTNAME)"/>
    <ProjectRoot Platform="OSX32" Name="$(PROJECTNAME).app"/>
    <ProjectRoot Platform="Android" Name="$(PROJECTNAME)"/>
    <ProjectRoot Platform="ioSSimulator" Name="$(PROJECTNAME).app"/>
</Deployment>
<Platforms>
    <Platform value="Win32">True</Platform>
    <Platform value="Win64">False</Platform>
</Platforms>
</BorlandProject>
<ProjectFileVersion>12</ProjectFileVersion>
</ProjectExtensions>
<Import Project="$(BDS)\Bin\CodeGear.Delphi.Targets"
Condition="Exists('$(BDS)\Bin\CodeGear.Delphi.Targets')"/>
<Import
Project="$(APPDATA)\Embarcadero\$(BDSAPPDATABASEDIR)\$(PRODUCTVERSION)\UserTools.proj"
Condition="Exists('$(APPDATA)\Embarcadero\$(BDSAPPDATABASEDIR)\$(PRODUCTVERSION)\UserTools.proj')"/>
<Import Project="$(MSBuildProjectName).deployproj"
Condition="Exists('$(MSBuildProjectName).deployproj')"/>
</Project>

```